

How ransomware can hold your business hostage

Understanding ransomware attacks and how they're delivered

SONICWALL™



Introduction

Ransomware is a form of malware that denies access to data or systems until the victim pays the cybercriminal a ransom fee to remove the restriction. It has been around for many years but has recently become much more popular and profitable. CryptoLocker, CryptoWall and RSA4096 are examples of well-known ransomware.

According to the FBI, more than \$209 million has already been paid in the first three months of 2016¹ in the United States, compared to \$25 million in ransom all of the previous year.


¹ <http://sd18.senate.ca.gov/news/4122016-bill-outlawing-ransomware-passes-senate-committee>


How ransomware works

Ransomware can make its way onto a system through a variety of means, with the victim ultimately downloading and installing a malicious application. Once on the device, the app will spread throughout the system and encrypt files on the hard drive or simply lock the system itself. In some cases, it may block access to the system by displaying images or a message across the device's screen to persuade the user to pay the malware operator a ransom for the encryption key to unlock the files or system.



Bitcoins are a popular form of ransomware payment because the digital currency is difficult to trace.





Phishing emails

One of the most common distribution methods of ransomware is phishing emails. These types of emails attempt to entice recipients to open an email and click on a website link. The site may ask for sensitive information or contain malware, such as ransomware, that is downloaded onto the victim's system.

23% of recipients open phishing emails and 11% actually click on the attachments¹.


¹2015 Verizon Data Breach Investigation Report

Malvertisements

Another popular form for distributing ransomware is “malvertising,” or malicious advertising, which uses online advertisements to spread ransomware. The attacker infiltrates advertising networks, sometimes posing as a fake advertiser or agency, and inserts malware-laden ads into legitimate websites. Unsuspecting visitors to the sites don’t even need to click on the advertisement for their system to become infected.

In addition to launching ransomware, “malverts” can be used to extract customer credit card numbers, Social Security numbers and other confidential information.





Exploitation of unpatched systems and applications


Many attacks are based on known vulnerabilities in operating systems, browsers and common apps. Cybercriminals are able to exploit these vulnerabilities to launch their ransomware attacks against systems that are not up to date with the latest software patches.

Unpatched operating systems, browsers and applications may contain vulnerabilities that cybercriminals can exploit to launch ransomware attacks.

External devices

External devices, such as USB drives, are used to store and transfer files — making them targets for spreading ransomware across multiple systems. Some of these files contain an advanced feature known as macros that can be used by hackers to execute ransomware when the file is opened.

Microsoft Word, Excel and PowerPoint are prime targets, although Microsoft has taken steps to tighten security for this threat in Office 2016.



Why traditional methods fail to prevent ransomware attacks

Many of the traditional security controls often fail to detect ransomware if they are only looking for unusual behavior and standard indicators of compromise. Once on the system, ransomware behaves like a security application and it can deny access to other systems/programs. It usually leaves the underlying files and systems unaffected and only restricts access to the interface.

Ransomware, coupled with social engineering, can create a very effective attack.




Hidden ransomware

Ransomware can also go undetected in firewalls that are unable to decrypt and inspect SSL-encrypted web traffic. Legacy network security solutions typically either don't have the ability to inspect SSL/TLS-encrypted traffic or their performance is so low that they become unusable when conducting the inspection. Increasingly, cybercriminals have learned how to hide malware in encrypted traffic.

The use of Secure Sockets Layer/Transport Layer Security (SSL/TLS) encryption continues to surge, leading to under-the-radar hacks affecting at least 900 million users in 2015.²

² 2016 Dell Security Annual Threat Report



Conclusion

SonicWall can enhance protection across your organization by inspecting every packet and governing every identity. As a result, this protects your data wherever it goes, and shares intelligence to safeguard against a variety of threats, including ransomware.

Visit the [SonicWall Network Security Products](#) web page.

SONICWALL™

About Us

Over a 25 year history, SonicWall has been the industry's trusted security partner. From network security to access security to email security, SonicWall has continuously evolved its product portfolio, enabling organizations to innovate, accelerate and grow. With over a million security devices in almost 200 countries and territories worldwide, SonicWall enables its customers to confidently say yes to the future.

www.sonicwall.com

If you have any questions regarding your potential use of this material, contact:

SonicWall
5455 Great America Parkway,
Santa Clara, CA 95054
www.sonicwall.com

Refer to our Web site for regional and international office information.

© 2016 SonicWall Inc. ALL RIGHTS RESERVED.

SonicWall is a trademark or registered trademark of SonicWall Inc. and/or its affiliates in the U.S.A. and/or other countries. All other trademarks and registered trademarks are property of their respective owners.

The information in this document is provided in connection with SonicWall Inc. and/or its affiliates' products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of SonicWall products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, SONICWALL AND/OR ITS AFFILIATES ASSUME NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON- INFRINGEMENT. IN NO EVENT SHALL SONICWALL AND/OR ITS AFFILIATES BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF SONICWALL AND/OR ITS AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SonicWall and/or its affiliates make no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. SonicWall Inc. and/or its affiliates do not make any commitment to update the information contained in this document.